

SERIAL NO: 09/421,332
INV: Kohji SAKAI et al
DOCKET # 0557-4628-2 REISSUE
SHEET 1 OF 8

RE38195

FIG. 1A





FIG. 1B





SERIAL NO: 09/421,332
IN: Kohji SAKAI et al
OCKET # 0557-4628-2 REISSUE
SHEET 2 OF 8

FIG. 2A





FIG. 2B






FIG. 3





FIG. 4





SERIAL NO: 09/421,332
INV: Kohji SAKAI et al
DOCKET # 0557-4628-2 REISSUE
SHEET 4 OF 8

FIG. 5A





FIG. 5B





SERIAL NO: 09/421,332
 INV: Kohji SAKAI et al
 DOCKET # 0557-4628-2 REISSUE
 SHEET 5 OF 8

FIG. 6A




FIG. 6B







FIG. 7





SERIAL NO: 09/421,332
INV: Kohji SAKAI et al
DOCKET # 0557-4628-2 REISSUE
SHEET 7 OF 8

FIG. 8A

LIGHT EMITTING SECTION : LD1




FIG. 8B




FIG. 8C

LIGHT EMITTING SECTION : LD2




FIG. 8D




FIG. 8E

LIGHT EMITTING SECTION : LD3




FIG. 8F






FIG. 8G

LIGHT EMITTING SECTION : LD4



CURVE OF IMAGE SURFACE
(W = 40°)

FIG. 8H



CONSTANT-VELOCITY
PERFORMANCE
(W = 40°)



SERIAL NO: 09/421,332
INV: Koji SAKAI et al
DOCKET # 0557-4628-2 REISSUE
SHEET 8 OF 8

FIG. 9

